

船井電機自主含有管理物質リスト Ver. 6r20

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.		化学物質群	CAS No.	IEC62474	GADSL	使用例
F001	臭素系難燃剤 (PBB類, PBDE類, HBCDD を 除く)	テトラブロモビスフェノール A (TBBPA)	79-94-7	○	○	難燃剤、ハウジング、コネクター、パッケージ、 成形体シーリング、積層プリント配線基板
		ポリ(2,6-ジブロモフェニレンオキシド)	69882-11-7	○		
		テトラデカブロモ-P-ジフェノキシベンゼン	58965-66-5	○		
		1,2-ビス(2,4,6-トリブロモフェノキシ)エタン	37853-59-1	○		
		TBBA(構造特定せず)	30496-13-0	○		
		TBBA(エピクロロヒドリンオリゴマー)	40039-93-8	○		
		TBBA (TBBA-ジグリシジルエーテルオリゴマー)	70682-74-5	○		
		TBBA (炭酸オリゴマー)	28906-13-0	○		
		TBBA炭酸オリゴマー、フェノキシエンドキャプト	94334-64-2	○		
		TBBA炭酸オリゴマー、2,4,6-トリブロモフェノールターミネイティド	71342-77-3	○		
		TBBAビスフェノール Aホスゲンポリマー	32844-27-2	○		
		臭素化エポキシレジン、トリブロモフェノールエンドキャプト	139638-58-7	○		
		臭素化エポキシレジン、トリブロモフェノールエンドキャプト	135229-48-0	○		
		TBBA-(2,3-ジブロモプロピルエーテル)	21850-44-2	○	○	
		TBBAビス-(2-ヒドロキシエチルエーテル)	4162-45-2	○		
		TBBAビス(アリルエーテル)	25327-89-3	○		
		TBBAジメチルエーテル	37853-61-5	○		
		テトラブロモビスフェノール S	39635-79-5	○	○	
		TBBSビス-(2,3-ジブロモプロピルエーテル)	42757-55-1	○		
		2,4-ジブロモフェノール	615-58-7	○		
		2,4,6-トリブロモフェノール	118-79-6	○		
		ペンタブロモフェノール	608-71-9	○		
		2,4,6-トリブロモフェニルアリルエーテル	3278-89-5	○		
		トリブロモフェニルアリルエーテル (構造特定せず)	26762-91-4	○		
		テトラブロモフタル酸ジメチル	55481-60-2	○		
		テトラブロモフタル酸ビス(2-エチルヘキシル)	26040-51-7	○	○	
		2-(2-ヒドロキシエトキシ)エチル-2-ヒドロキシプロピルテトラブロモフタレート	20566-35-2	○		
		TBPA、グリコール・アンドプロピレン・オキシドエステル	75790-69-1	○		
		N,N'-エチレン-ビス-(テトラブロモ-フタルイミド)	32588-76-4	○	○	
		エチレン-ビス(5,6ジブロモノボルナン-2,3-ジカルボキシミド)	52907-07-0	○		
		2,3-ジブロモ-2-ブテン-1,4-ジオール	3234-02-4	○		
		ジブロモネオペンチルグリコール	3296-90-0	○		
		2,3-ジブロモプロパノール	96-13-9	○	○	
		トリブロモ-ネオペンチルアルコール	36483-57-5	○		
		ポリトリブロモスチレン	57137-10-7	○		
		トリブロモスチレン	61368-34-1	○		
		ジブロモ-スチレン、PPグラフトイド	171091-06-8	○		
		ポリジブロモスチレン	31780-26-4	○		
		ブロモ/クロロパラフィン類	68955-41-9	○		
		ブロモ/クロロアルファオレフィン	82600-56-4	○		
		ブロモエチレン	593-60-2	○		
		トリス (2,3-ジブロモプロピル)イソシアヌル酸	52434-90-9	○		
		トリス (2,4-ジブロモフェニル)フォスフェート	49690-63-3	○		
		トリス (トリブロモ-ネオペンチル)フォスフェート	19186-97-1	○		
		塩素化、臭素化リン酸エステル	125997-20-8	○		
		ペンタブロモトルエン	87-83-2	○		
		ペンタブロモベンジルプロミド	38521-51-6	○		
		臭素化 1,3-ブタジエンホモポリマー	68441-46-3	○		
		ペンタブロモベンジルアクリレートモノマー	59447-55-1	○		
		ペンタブロモベンジルアクリレートポリマー	59447-57-3	○		
		デカブロモジフェニルエタン	84852-53-9	○	○	
		トリブロモビスフェニルマレインイミド	59789-51-4	○		
		1,2-ジブロモ-4-(1,2-ジブロモメチル)シクロヘキサン	3322-93-8	○		
		TBPA Naソルト	25357-79-3	○		
		テトラブロモフタル酸無水物	632-79-1	○		
		オクタブロモ-1,1,3-トリメチル-1-フェニルインダン (FR-1808)	155613-93-7	○		
F002	ポリ塩化ビニル(PVC)	ポリ塩化ビニル (PVC)	9002-86-2			絶縁材、耐薬品性、透明性、シース材
F003	フタル酸エステル類 (DBP, BBP, DEHP, DIBP, DHNUR, DIHP を 除く)	フタル酸ジエチル	84-66-2			可塑剤、染料、顔料、塗料、インク、接着剤、潤滑材
		無水フタル酸	85-44-9			
		フタル酸ジ-n-オクチル	117-84-0	○	○	
		フタル酸ジメチル	131-11-3			
		フタル酸ジ-n-プロピル	131-16-8			
		フタル酸エステルジ(アルキル(炭素数9-11))	68515-43-5			
F004	ベリリウムおよびその化合物	フタル酸エステル(分岐アルキル(炭素数4-13))	68951-39-3			セラミックス
F005	アンチモンおよびアンチモン化合物	酸化ベリリウム (BeO)	1304-56-9	○	○	顔料、塗料、触媒、鉛フリーハンダ材料、安定剤、n型ドーパント、難燃剤、触媒重合
		アンチモン	7440-36-0			
		三塩化アンチモン	10025-91-9			
		三酸化アンチモン	1309-64-4		○	
		五酸化アンチモン	1314-60-9			
F006	ヒ素およびヒ素化合物	アンチモン酸ナトリウム	15432-85-6			顔料、塗料、染料、ガラスの消泡剤、半導体基板、難燃剤
		ヒ素	7440-38-2		○	
F007	ビスマスおよびビスマス化合物	ガリウムヒ素	1303-00-0		○	鉛フリーハンダ材料、ハンダ材料
		ビスマス	7440-69-9			
F008	セレンおよびセレン化合物	セレン	7782-49-2		○	感光体、顔料、インキ、触媒、酸化剤、半導体材料、受光素子、光電セル
		亜セレン酸	7783-00-8		○	

船井電機自主含有管理物質リスト Ver. 6r20

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.	化学物質群		CAS No.	IEC62474	GADSL	使用例
F009	中鎖(C14-C17)および長鎖(C18-C30) 塩化パラフィン	塩素化パラフィンワックスと塩素化炭化水素ワックス	63449-39-8		○	難燃剤、加硫促進剤
		塩素化パラフィンオイルと塩素化炭化水素オイル	85422-92-0		○	
		塩素化パラフィン (C6-18)	68920-70-7		○	
		塩素化パラフィン (C10-21)	84082-38-2		○	
		塩素化パラフィン (C10-32)	84776-06-7		○	
		塩素化パラフィン (C16-27)	84776-07-8		○	
		塩素化パラフィン (C16-35)	85049-26-9		○	
		塩素化パラフィン (C14-17)	85535-85-9	○	○	
		塩素化パラフィン (C18-28)	85535-86-0			
		塩素化パラフィン (C12-14)	85536-22-7		○	
		塩素化パラフィン (C10-14)	85681-73-8		○	
		塩素化パラフィン (C10-26)	97659-46-6		○	
		塩素化パラフィン (石油系, 通常は C10 以上)	97553-43-0		○	
		塩素化パラフィン (C18-20)	106232-85-3			
		塩素化パラフィン (C22-40)	106232-86-4			
		塩素化パラフィン (C22-26)	108171-27-3			
F010	塩素系難燃剤	ドデカクロロドデカヒドロジメタノジベンゾシクロオクテン	13560-89-9	○	○	難燃剤、ハウジング、コネクター、パッケージ、成形体シーリング、積層プリント配線基板
F011	トリクロロベンゼン	1,2,3-トリクロロベンゼン	87-61-6			染料、顔料の中間体
		1,3,5-トリクロロベンゼン	108-70-3			
		1,2,4-トリクロロベンゼン	120-82-1			
F012	タール油およびクレオソート	クレオソート油	8001-58-9		○	カーボンブラックの製造、防腐剤
F013	有機スズ化合物 (三置換型有機スズ化合物を除く)	アセトキシトリメチルスズ	1118-14-5		○	重合触媒、樹脂安定剤、酸化防止剤、殺菌剤、接着剤
		ジフェニルスズスルフィド	20332-10-9			
F014	多環芳香族炭化水素 (PAHs)	アセナフテン	83-32-9			防腐剤、潤滑油
		アセナフチレン	208-96-8			
		ベンゾ[g,h,i]ペリレン	191-24-2	○	○	
		フルオランテン	206-44-0	○		
		フルオレン	86-73-7			
		インデノ[1,2,3-c,d]ピレン	193-39-5			
		ナフタレン	91-20-3		○	
		フェナントレン	85-01-8	○	○	
F015	シアン化合物	ビレン	129-00-0	○	○	顔料、染料、メッキ、プラスチック原料、メッキ処理剤
		ベンゾニトリル	100-47-0			
		アクリロニトリル	107-13-1		○	
		エチレンシアノヒドリン	109-78-4			
		2,6-ジクロロベンゾニトリル	1194-65-6			
		シアン化タリウム(I)	13453-34-4			
		フェニルアセトニトリル	140-29-4			
		シアン化ナトリウム	143-33-9			
		シアン化銅(II)	14763-77-0			
		シアン化カリウム	151-50-8			
		カルシウムシアナミド	156-62-7			
		シアン化バジウム(II)	2035-66-7			
		シアン化セシウム	21159-32-0			
		シアナジン	21725-46-2			
		シアンアミド	420-04-2			
		シアン	460-19-5			
		シアン化銀(I)	506-64-9			
		シアン化金(I)	506-65-0			
		プロモシアン	506-68-3			
		クロロシアン	506-77-4			
		ヨードシアン	506-78-5			
		シアン化金(III)三水和物	535-37-5			
		シアン化金(III)	535-37-5			
		シアン化バリウム	542-62-1		○	
		シアン化コバルト(II)	542-84-7			
		シアン化銅(I)	544-92-3			
		シアン化ニッケル(II)	557-19-7		○	
		シアン化亜鉛	557-21-1			
		シアン化カルシウム	592-01-8			
		シアン化白金(II)	592-06-3			
		シアン化水素	74-90-8			
		シアン化トリメチルシリル	7677-24-9			
		シアン酸ナトリウム	917-61-3			
F016	発砲スチロール	発泡ポリスチレン(EPS)	9003-53-6			緩衝材、梱包剤
F017	ホスフィン	トリブチルホスフィン	998-40-3			包装材

## 船井電機自主含有管理物質リスト Ver. 6r20

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.	化学物質群	CAS No.	IEC62474	GADSL	使用例
	1-Hexanesulfonyl bromide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	111393-39-6		○	
	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N,N-dimethyl-	1270179-82-2		○	
	1-Hexanesulfonamide, N,N-diethyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	1270179-93-5		○	
	2-Propenoic acid, 2-methyl-, polymers with Bu methacrylate, lauryl methacrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl methacrylate	127133-66-8	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-methyl-N-(2-oxiranylmethyl)	129813-71-4	○	○	
	$\beta$ -Alanine, N-[3-(dimethylamino)propyl]-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]-	141607-32-1		○	
	1-Hexanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-methyl-	1427176-17-7		○	
	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N,N-bis(2-methoxyethyl)-	1427176-20-2		○	
	Benzenamine, 4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]-	147029-28-5		○	
	Fatty acids, C18-unsatd., trimers, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl esters	148240-80-6	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-(hydroxyethyl)-N-methyl, reaction products with 1,6-diisocyanatohexane homopolymer and ethylene glycol	148684-79-1	○	○	
	Benzene, 1-fluoro-4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]-	149652-30-2		○	
	Benzoic acid, 2,3,4,5-tetrachloro-6-[[[3-(hydroxyphenyl)amino]carbonyl]-, perfluoro-C6-8-alkanesulfonates (esters), monopotassium salts	160305-97-5		○	
	2-Propenoic acid, butyl ester, polymers with 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate	160336-17-4		○	
	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 2-ethyl-1-hexanol and polymethylenepolyphenylene isocyanate	160901-25-7	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 2-ethyl-1-hexanol, Me Et ketone oxime and polymethylenepolyphenylene isocyanate	160901-26-8		○	
	Fatty acids, C18-unsatd., trimers, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl esters	161074-58-4		○	
	Sulfonamides, C4-8-alkane, perfluoro, N-(3-chloro-2-hydroxypropyl)-N-methyl	1645842-67-6		○	
	Sulfonamides, C7-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 1,3-bis(isocyanatomethyl)benzene and N-butyl-1-butanamine	1645850-46-9		○	
	Sulfonamides, C7-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 1,3-bis(isocyanatomethyl)benzene	1645852-09-0		○	
	Siloxanes and Silicones, di-Me, Bu group- and 3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl group-terminated, telomers with acrylic acid, di-Me, Me 3-mercaptopropyl siloxanes, Me acrylate, Me methacrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate, 2,2'-(1,2-diazenediyl)bis[2-methylpropanenitrile]-initiated	1645852-10-3		○	
	2-Propenoic acid, polymers with lauryl acrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate	1648534-82-0		○	
	Poly(oxy-1,2-ethanediyl), $\alpha$ -[2-(methylamino)ethyl]- $\omega$ -hydroxy-, N-[(perfluoro-C4-8-alkyl)sulfonyl] derivs., C12-16-alkyl ethers	1648539-69-8		○	
	2-Propenoic acid, 2-(methylamino)ethyl ester, N-[(perfluoro-C4-8-alkyl)sulfonyl] derivs., polymers with propene	1648540-20-8		○	
	Benzene, 1-nitro-4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]-	171561-95-8		○	
	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, potassium salt (1:1)	178094-71-8		○	
	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), polymers with 1,1'-methylenebis[4-isocyanatobenzene] and polymethylenepolyphenylene isocyanate, 2-ethylhexyl esters, Me Et ketone oxime-blocked	178535-22-3	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-[3-(dimethylamino)propyl], potassium salts	179005-06-2	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-[3-(dimethylamino)propyl]	179005-07-3		○	
	2-Propenoic acid, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl ester	1893-52-3	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-[3-(dimethylamino)propyl], reaction products with acrylic acid	192662-29-6	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with poly(Bu acrylate) and polyethylene-polypropylene glycol mono-Bu ether	222716-67-8		○	
	Pyridinium, 1-[[[1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]-, inner salt	254889-10-6		○	
	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	30295-56-8		○	
	Sulfonamides, C4-8-alkane, perfluoro, N-(hydroxyethyl)-N-methyl, reaction products with 12-hydroxyoctadecanoic acid and 2,4-TDI, ammonium salts	306973-47-7	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-methyl-N-[(3-octadecyl-2-oxo-5-oxazolidinyl)methyl]	306974-19-6	○	○	
	Siloxanes and Silicones, di-Me, mono[3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl group]-terminated, polymers with 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and stearyl methacrylate	306974-28-7	○	○	
	Sulfonic acids, C6-8-alkane, perfluoro, compds. with polyethylene-polypropylene glycol bis(2-aminopropyl) ether	306974-45-8	○	○	
	Fatty acids, C18-unsatd., dimers, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl esters	306974-63-0	○	○	
	2-Propenoic acid, 2-methyl-, dodecyl ester, polymers with 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and vinylidene chloride	306975-62-2	○	○	
	Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy-, polymer with 1,6-diisocyanatohexane, N-(hydroxyethyl)-N-methylperfluoro-C4-8-alkanesulfonamides-blocked	306975-84-8	○	○	
	2-Propenoic acid, 2-methyl-, dodecyl ester, polymers with N-(hydroxymethyl)-2-propenamide, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl methacrylate, stearyl methacrylate and vinylidene chloride	306975-85-9	○	○	
	1-Hexadecanaminium, N,N-dimethyl-N-[2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl]-, bromide (1:1), polymers with Bu acrylate, Bu methacrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate	306976-25-0	○	○	
	2-Propenoic acid, 2-methyl-, 2-methylpropyl ester, polymer with 2,4-diisocyanato-1-methylbenzene, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol and 2-propenoic acid, N-ethyl-N-(hydroxyethyl)perfluoro-C4-8-alkanesulfonamides-blocked	306976-55-6	○	○	
	2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, telomer with 2-[ethyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl methacrylate and 1-octanethiol, N-oxides	306977-10-6	○	○	
	2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, polymers with acrylic acid, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and propylene glycol monoacrylate, hydrolyzed, compds. with 2,2'-(methylimino)bis[ethanol]	306977-58-2	○	○	

## 船井電機自主含有管理物質リスト Ver. 6r20

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.	化学物質群	CAS No.	IEC62474	GADSL	使用例
	2-Propenoic acid, butyl ester, polymers with acrylamide, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and vinylidene chloride	306978-04-1	○	○	
	Hexane, 1,6-diisocyanato-, homopolymer, N-(hydroxyethyl)-N-methylperfluoro-C4-8-alkanesulfonamides- and stearyl alc.-blocked	306978-65-4	○	○	
	Poly(oxy-1,2-ethanediyl), $\alpha$ -[2-(methylamino)ethyl]- $\omega$ -[(1,1,3,3-tetramethylbutyl)phenoxy]-, N-[(perfluoro-C4-8-alkyl)sulfonyl] derivs.	306979-40-8	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N,N'-[1,6-hexanediylbis[(2-oxo-3,5-oxazolidinediyl)methylene]]bis[N-methyl-	306980-27-8	○	○	
	1-Hexanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-	34455-03-3	○	○	
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	355-46-4	○	○	
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, potassium salt (1:1)	3871-99-6	○	○	
	1-Propanaminium, 3-[(carboxymethyl)][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]-N,N,N-trimethyl-, inner salt	38850-52-1	○	○	
	1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-3-[(3-sulfoxypropyl)][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]-, inner salt	38850-58-7	○	○	
	1-Propanesulfonic acid, 3-[[3-(dimethylamino)propyl]][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]-	38850-60-1	○	○	
	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	41997-13-1	○	○	
	1-Hexanesulfonyl fluoride, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	423-50-7	○	○	
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl ester, polymers with polyethylene glycol acrylate Me ether	504396-13-8		○	
	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	50598-28-2	○	○	
	Siloxanes and Silicones, di-Me, 3-hydroxypropyl group-terminated, reaction products with Me Et ketone oxime, 2-mercaptoethanol, 2-[methyl[(perfluoro-C3-8-alkyl)sulfonyl]amino]ethyl acrylate, polymethylenepolyphenylene isocyanate and polypropylene glycol	507225-08-3		○	
	1-Propanaminium, N,N,N-trimethyl-3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]-, chloride (1:1)	52166-82-2	○	○	
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1)	55120-77-9	○	○	
	1-Hexanesulfonyl chloride, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	55591-23-6		○	
	Poly(oxy-1,2-ethanediyl), $\alpha$ -[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl]- $\omega$ -hydroxy-	56372-23-7	○	○	
	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-2-propen-1-yl-	67584-48-9	○	○	
	Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]-, potassium salt (1:1)	67584-53-6	○	○	
	2-Propenoic acid, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl ester	67584-57-0	○	○	
	2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl ester	67584-61-6	○	○	
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl ester	67906-70-1	○	○	
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl ester, polymer with octadecyl 2-propenoate and 2-propenoic acid	67906-71-2	○	○	
	2-Propenoic acid, 2-methyl-, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]butyl ester	67939-61-1	○	○	
	1-Hexanesulfonamide, N,N'-[phosphinobis(oxy-2,1-ethanediyl)]bis[N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	67939-92-8	○	○	
	1-Hexanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-[2-(phosphonoxy)ethyl]-	67969-65-7	○	○	
	Hexane, 1-(ethenylsulfonyl)-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	680187-85-3		○	
	Hexane, 1-(ethenylsulfonyl)-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	680187-86-4		○	
	Carbamic acid, N,N'-(4-methyl-1,3-phenylene)bis-, bis[2-[ethyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl] ester	68081-83-4	○	○	
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, telomer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-methyloxirane polymer with oxirane di-2-propenoate, 2-methyloxirane polymer with oxirane mono-2-propenoate and 1-octanethiol	68227-87-2	○	○	
	2-Propenoic acid, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl), 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and $\alpha$ -(1-oxo-2-propen-1-yl)- $\omega$ -methoxypoly(oxy-1,2-ethanediyl)	68227-94-1	○	○	
	2-Propenoic acid, butyl ester, telomer with 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,4-butanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,4-butanediyl), 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	68227-96-3	○	○	
	2-Propenoic acid, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]butyl ester	68227-98-5	○	○	

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.		化学物質群	CAS No.	IEC62474	GADSL	使用例
F018	ペルフルオロヘキサン-1-スルホン酸（PFH x S）関連物質（C175対象物質を除く）	2-Propenoic acid, ethyl ester, polymer with 4-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]butyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]butyl 2-propenoate, α-(2-methyl-1-oxo-2-propen-1-yl)-ω-hydroxypoly(oxy-1,4-butanediyl), α-(2-methyl-1-oxo-2-propen-1-yl)-ω-hydroxypoly(oxy-1,2-ethanediyl), α-(2-methyl-1-oxo-2-propen-1-yl)-ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,4-butanediyl), α-(2-methyl-1-oxo-2-propen-1-yl)-ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl), 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]butyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]butyl 2-propenoate and 4-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]butyl 2-propenoate	68228-00-2	○	○	可塑剤、潤滑剤、表面活性剤、湿潤剤、腐食防止剤として、および消火剤の泡中で使用
		1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(4-hydroxybutyl)-N-methyl-	68239-74-7	○	○	
		1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, ammonium salt (1:1)	68259-08-5	○	○	
		1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-methyl-	68259-15-4	○	○	
		Poly[oxy(methyl-1,2-ethanediyl)], α-[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl]-ω-hydroxy-	68259-38-1	○	○	
		1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(phenylmethyl)-	68298-09-9	○	○	
		2-Propenoic acid, 2-methyl-, 2-[[[[5-[[[2-[ethyl[(tridecafluoroheptyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl ester (9Cl)	68298-74-8		○	
		2-Propenoic acid, 2-methyl-, 2-[[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl ester, telomer with butyl 2-propenoate, 2-[[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	68298-78-2	○	○	
		Benzenesulfonic acid, [[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]methyl]-, sodium salt (1:1)	68299-21-8	○	○	
		2-Propenoic acid, 2-methyl-, 4-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]butyl ester, telomer with butyl 2-propenoate, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, α-(2-methyl-1-oxo-2-propen-1-yl)-ω-hydroxypoly(oxy-1,4-butanediyl), α-(2-methyl-1-oxo-2-propen-1-yl)-ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,4-butanediyl), 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	68299-39-8	○	○	
		2-Propenoic acid, eicosyl ester, polymer with 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, hexadecyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate and octadecyl 2-propenoate	68329-56-6	○	○	
		Sulfonic acids, C6-12-alkane, perfluoro, potassium salts	68391-09-3	○	○	
		Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]-, sodium salt (1:1)	68555-70-4	○	○	
		1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-methyl-	68555-75-9	○	○	
		Polymer based on 67584-55-8	68555-90-8	○	○	
		2-Propenoic acid, 2-methyl-, 2-[ethyl[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, polymer with 2-[ethyl[[[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[[[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and octadecyl 2-methyl-2-propenoate	68555-91-9	○	○	
		2-Propenoic acid, 2-methyl-, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[[[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[methyl[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[methyl[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[methyl[[[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and octadecyl 2-methyl-2-propenoate	68555-92-0	○	○	

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.	化学物質群	CAS No.	IEC62474	GADSL	使用例
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, polymer with 2-chloro-1,3-butadiene, 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate	68568-77-4	○	○	
	2-Propenoic acid, 2-[[heptadecafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, α-(2-methyl-1-oxo-2-propenyl)-ω-hydroxypoly(oxy-1,2-ethanediyl), α-(2-methyl-1-oxo-2-propenyl)-ω-[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl), 2-[methyl[(pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate and 2-[methyl[(undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate (9CI)	68586-13-0		○	
	2-Propenoic acid, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl ester, telomer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, α-(2-methyl-1-oxo-2-propen-1-yl)-ω-hydroxypoly(oxy-1,2-ethanediyl), α-(2-methyl-1-oxo-2-propen-1-yl)-ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl), 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	68586-14-1	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with TDI	68608-13-9	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 1,1'-methylenebis[4-isocyanatobenzene]	68608-14-0	○	○	
	1-Octanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-N-(2-hydroxyethyl)-, reaction products with N-ethyl-1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-1-butanedisulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-N-(2-hydroxyethyl)-1-heptanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-1-hexanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,5-undecafluoro-N-(2-hydroxyethyl)-1-pentanesulfonamide, polymethylenepolyphenylene isocyanate and stearyl alc.	68649-26-3	○	○	
	2-Propenoic acid, 2-methyl-, 2-ethylhexyl ester, polymer with 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 2-oxiranylmethyl 2-methyl-2-propenoate	68797-76-2	○	○	
	Benzoic acid, 2,3,4,5-tetrachloro-6-[[[3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]oxy]phenyl]amino]carbonyl]-, potassium salt (1:1)	68815-72-5	○	○	
	2-Propenoic acid, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and α-(1-oxo-2-propen-1-yl)-ω-methoxypoly(oxy-1,2-ethanediyl)	68867-60-7	○	○	
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, telomer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 1-octanethiol and α-(1-oxo-2-propen-1-yl)-ω-methoxypoly(oxy-1,2-ethanediyl)	68867-62-9	○	○	
	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, polymer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and 2-methyl-1,3-butadiene	68877-32-7	○	○	
	Chromium, diaquatetrachloro[μ-[N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]glycinato-κ O:κ O']]-μ-hydroxybis(2-propanol)di-	68891-98-5	○	○	
	2-Propenoic acid, eicosyl ester, polymers with branched octyl acrylate, 2-[[[heptadecafluorooctyl)sulfonyl]methylamino]ethyl acrylate, 2-[methyl[(nonafluorobutyl)sulfonyl]amino]ethyl acrylate, 2-[methyl[(pentadecafluoroheptyl)sulfonyl]amino]ethyl acrylate, 2-[methyl[(tridecafluorohexyl)sulfonyl]amino]ethyl acrylate, 2-[methyl[(undecafluoropentyl)sulfonyl]amino]ethyl acrylate, polyethylene glycol acrylate Me ether and stearyl acrylate	68909-15-9	○	○	
	Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	68957-32-4	○	○	
	Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, ethyl ester	68957-53-9	○	○	
	1-Propanaminium, N,N,N-trimethyl-3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, iodide (1:1)	68957-58-4	○	○	
	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, hydrochloride (1:1)	68957-61-9	○	○	
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with 2,2'-iminobis[ethanol] (1:1)	70225-16-0	○	○	
	1-Propanaminium, N,N,N-trimethyl-3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, sulfate (2:1)	70248-52-1	○	○	

船井電機自主含有管理物質リスト Ver. 6r20

環境関連の法規制の要求はなく、船井電機が自主的に管理する物質。対象部品について任意報告物質として報告をお願いいたします。

No.	化学物質群	CAS No.	IEC62474	GADSL	使用例
	2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 1,1-dichloroethene, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, N-(hydroxymethyl)-2-propenamide, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate and 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate	70776-36-2	○	○	
	2-Propenoic acid, 2-methyl-, 2-[[[2-methyl-5-[[[4-[methyl[(tridecafluorohexyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl ester (9CI)	70900-36-6		○	
	2-Propenoic acid, 2-methyl-, 2-[[[[5-[[[4-[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]butoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl ester, telomer with butyl 2-propenoate, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	70900-40-2	○	○	
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 2-propenoic acid	71487-20-2	○	○	
	1-Propanesulfonic acid, 3-[[3-(dimethylamino)propyl][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-2-hydroxy-, sodium salt (1:1)	73772-32-4	○	○	
	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, acetate (1:1)	73772-33-5	○	○	
	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-[2-[2-(2-hydroxyethoxy)ethoxy]ethyl]-	73772-34-6	○	○	
	Benzene, 1-chloro-4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	76848-59-4		○	
	1H-Benzimidazolium, 1,3-diethyl-2-methyl-5-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, 4-methylbenzenesulfonate (1:1)	76848-68-5		○	
	1-Propanesulfonic acid, 3-[methyl[3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]propyl]amino]-, sodium salt (1:1)	80621-17-6	○	○	
	1-Propanaminium, N-(2-hydroxyethyl)-3-[(2-hydroxy-3-sulfopropyl][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino)-N,N-dimethyl-, hydroxide, sodium salt (1:1:1)	81190-38-7	○	○	
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, sodium salt (1:1)	82382-12-5	○	○	
	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-propyl-	85665-64-1	○	○	
	Glycine, N-propyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, potassium salt (1:1)	85665-66-3	○	○	
	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt (2:1)	86525-30-6	○	○	
	Thiophene, 2-[2-[(tridecafluorohexyl)sulfonyl]ethenyl]-	86525-43-1	○	○	
	Furan, 2-[2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethenyl]-	86525-48-6	○	○	
	Benzene, 1-methyl-4-[2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethenyl]-	86525-51-1	○	○	
	Benzene, 1-methoxy-4-[2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethenyl]-	86525-52-2	○	○	
	Thiophene, 2-[1-(phenylthio)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-48-9	○	○	
	Furan, 2-[1-(phenylthio)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-49-0	○	○	
	Benzene, 1-methyl-4-[1-(phenylthio)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-50-3	○	○	
	Thiophene, 2-[1-(nitromethyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-55-8	○	○	
	Furan, 2-[1-(nitromethyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-56-9	○	○	
	2,4-Pentanedione, 3-[1-(2-thienyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-63-8	○	○	
	2,4-Pentanedione, 3-[1-(2-furanyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-64-9	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-(hydroxyethyl)-N-methyl, reaction products with epichlorohydrin, adipates (esters)	91081-99-1	○	○	
	Isoxazolidine, 4-(4-methoxyphenyl)-2-methyl-5-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	93416-31-0	○	○	
	Sulfonic acids, C6-12-alkane, perfluoro	93572-72-6	○	○	
	Sulfonamides, C4-8-alkane, perfluoro, N-[4,7-dimethyl-4-[[[(1-methylpropylidene)amino]oxy]-3,5-dioxa-6-aza-4-silanon-6-en-1-yl]-N-ethyl	944578-05-6	○	○	